

EXHIBIT 47

	Disputed CLI Command (or Command Fragment)	Vendors Supporting Command (Not Including Cisco or Arista)*
1.	ip address	18
2.	show ip route	17
3.	snmp-server community	17
4.	show clock	17
5.	ipv6 address	16
6.	ip route	16
7.	show users	16
8.	snmp-server location	16
9.	snmp-server contact	16
10.	show ip ospf interface	16
11.	clock set	16
12.	show ip interface	16
13.	router bgp	15
14.	default-information originate (OSPF)	15
15.	show version	15
16.	show arp	15
17.	snmp-server enable traps	15
18.	snmp-server view	14
19.	show spanning-tree	14
20.	maximum-paths	14
21.	show ip ospf neighbor	14
22.	ipv6 route	14
23.	terminal length	14
24.	show vlan	14
25.	snmp-server group	14
26.	clock timezone	14
27.	snmp-server user	14
28.	ip access-group	14
29.	snmp-server host	14
30.	show ipv6 interface	14
31.	tacacs-server host	14
32.	show ipv6 route	14
33.	show ip ospf	14
34.	tacacs-server key	14
35.	show ip route summary	13
36.	ip ospf hello-interval	13
37.	router ospf	13
38.	clear counters	13
39.	route-map	13
40.	default-metric (OSPF)	13
41.	ip ospf cost	13
42.	area range	13
43.	ip ospf dead-interval	13

44.	clear arp-cache	13
45.	ip name-server	13
46.	router rip	13
47.	aaa accounting	13
48.	ip domain lookup	12
49.	default-metric (OSPFv3)	12
50.	show ip interface brief	12
51.	aaa authentication login	12
52.	show privilege	12
53.	area stub	12
54.	tacacs-server timeout	12
55.	ip ospf priority	12
56.	default-information originate (OSPFv3)	12
57.	ip ospf retransmit-interval	12
58.	show ip pim interface	12
59.	boot system	12
60.	show route-map	12
61.	show interfaces	12
62.	show ip bgp	12
63.	show ip bgp neighbors	12
64.	show ipv6 route summary	11
65.	ip routing	11
66.	interface ethernet	11
67.	lacp system-priority	11
68.	show ip pim neighbor	11
69.	router-id	11
70.	show snmp engineID	11
71.	show dot1x	11
72.	interface vlan	11
73.	show hosts	11
74.	ipv6 access-list	11
75.	show ip bgp summary	11
76.	dot1x port-control	11
77.	ip ospf transmit-delay	11
78.	show mac-address-table	11
79.	area nssa	11
80.	show snmp user	11
81.	show ip mroute	11
82.	interface loopback	11
83.	spanning-tree link-type	11
84.	ip domain-name	11
85.	spanning-tree mode	11
86.	maximum-paths (OSPFv3)	10
87.	spanning-tree bpduguard	10
88.	lacp port-priority	10
89.	mac-address-table aging-time	10
90.	ipv6 nd ra interval	10

91.	show dot1x statistics	10
92.	address-family	10
93.	ip igmp snooping	10
94.	snmp-server engineID local	10
95.	ip igmp query-interval	10
96.	area default-cost	10
97.	ip host	10
98.	show snmp	10
99.	show ip access-lists	10
100.	show snmp group	10
101.	show ipv6 neighbors	10
102.	show ip igmp interface	10
103.	area range (OSPFv3)	10
104.	ip proxy-arp	10
105.	show lldp	10
106.	ipv6 nd ra lifetime	10
107.	ip helper-address	10
108.	spanning-tree cost	10
109.	show port-security	10
110.	ipv6 nd managed-config-flag	10
111.	arp timeout	10
112.	ipv6 ospf area	10
113.	show ip ospf border-routers	10
114.	show ip igmp groups	10
115.	show ipv6 ospf neighbor	9
116.	show ip pim rp-hash	9
117.	mac access-group	9
118.	no snmp-server	9
119.	spanning-tree mst configuration	9
120.	radius-server host	9
121.	ipv6 nd other-config-flag	9
122.	show mac-address-table aging time	9
123.	ip access-list	9
124.	show monitor session	9
125.	dot1x reauthentication	9
126.	ip pim dr-priority	9
127.	switchport mode	9
128.	aggregate-address	9
129.	dot1x timeout tx-period	9
130.	show radius	9
131.	logging host	9
132.	show ip igmp snooping	9
133.	ip prefix-list	9
134.	show ip igmp snooping mrouter	9
135.	show interfaces status	9
136.	clear ipv6 neighbors	9
137.	area stub (OSPFv3)	9

138.	banner motd	9
139.	ipv6 nd reachable-time	9
140.	ipv6 nd ns-interval	9
141.	storm-control	9
142.	dot1x timeout reauth-period	9
143.	show ipv6 ospf interface	9
144.	show spanning-tree mst configuration	9
145.	neighbor remote-as	9
146.	show tacacs	9
147.	show interfaces switchport	9
148.	show ip dhcp snooping	8
149.	show vrrp	8
150.	show spanning-tree blockedports	8
151.	show ip ospf database database-summary	8
152.	ip igmp last-member-query-interval	8
153.	area nssa (OSPFv3)	8
154.	ip nat pool	8
155.	channel-group	8
156.	show storm-control	8
157.	dot1x system-auth-control	8
158.	ip ospf network	8
159.	dot1x timeout quiet-period	8
160.	ip dhcp snooping vlan	8
161.	radius-server key	8
162.	mac-address-table static	8
163.	radius-server timeout	8
164.	ipv6 ospf priority	8
165.	show lldp neighbors	8
166.	show spanning-tree interface	8
167.	ip igmp version	8
168.	ipv6 router ospf	8
169.	ipv6 neighbor	8
170.	interface port-channel	8
171.	show mac-address-table count	8
172.	area nssa default-information-originate	8
173.	show ntp status	8
174.	ip dhcp snooping	8
175.	ipv6 ospf cost	8
176.	show ip bgp peer-group	8
177.	router-id (OSPFv3)	8
178.	spanning-tree port-priority	8
179.	ipv6 ospf dead-interval	8
180.	switchport access vlan	8
181.	area default-cost (OSPFv3)	8
182.	ip ospf authentication	8
183.	ip ospf authentication-key	8
184.	ipv6 ospf hello-interval	8

185.	ntp server	7
186.	show isis database	7
187.	banner login	7
188.	ipv6 prefix-list	7
189.	switchport trunk native vlan	7
190.	passive-interface	7
191.	lldp receive	7
192.	ip multicast-routing	7
193.	ipv6 host	7
194.	neighbor shutdown	7
195.	ipv6 ospf transmit-delay	7
196.	is-type	7
197.	neighbor next-hop-self	7
198.	show ip arp	7
199.	ip igmp snooping querier	7
200.	passive-interface (OSPFv3)	7
201.	neighbor route-reflector-client	7
202.	router isis	7
203.	ipv6 enable	7
204.	show ipv6 ospf	7
205.	ip pim rp-address	7
206.	clear ip bgp	7
207.	show lacp counters	7
208.	show ip bgp community	7
209.	switchport trunk allowed vlan	7
210.	ip radius source-interface	7
211.	show ip prefix-list	7
212.	area nssa no-summary	7
213.	neighbor password	7
214.	port-channel load-balance	7
215.	show reload	7
216.	neighbor timers	7
217.	switchport private-vlan mapping	6
218.	show snmp view	6
219.	show ntp associations	6
220.	neighbor route-map	6
221.	lldp transmit	6
222.	neighbor update-source	6
223.	clear mac-address-table dynamic	6
224.	network area	6
225.	ipv6 ospf retransmit- interval	6
226.	set-overload-bit	6
227.	show vlan private-vlan	6
228.	show dot1q-tunnel	6
229.	log-adjacency-changes (IS-IS)	6
230.	area nssa default-information-originate (OSPFv3)	6
231.	ip igmp static-group	6

232.	show ip helper-address	6
233.	ipv6 ospf network	6
234.	ip pim rp-candidate	6
235.	show policy-map interface	6
236.	show ip igmp snooping groups	6
237.	show qos maps	6
238.	show ip nat translations	6
239.	show vlan internal usage	6
240.	ipv6 dhcp relay destination	6
241.	lldp run	6
242.	ip access-list standard	6
243.	log-adjacency-changes	6
244.	show ipv6 access-list	6
245.	spanning-tree bpdupfilter	6
246.	timers basic (RIP)	6
247.	neighbor activate	6
248.	ipv6 nd prefix	6
249.	terminal monitor	6
250.	mac-address	5
251.	bgp cluster-id	5
252.	isis priority	5
253.	neighbor ebgp-multihop	5
254.	private-vlan	5
255.	ip nat translation tcp-timeout	5
256.	neighbor description	5
257.	ip nat translation udp-timeout	5
258.	show ip extcommunity-list	5
259.	show ipv6 prefix-list	5
260.	lldp timer	5
261.	neighbor remove-private-as	5
262.	ip tacacs source-interface	5
263.	show mac access-lists	5
264.	ip multicast boundary	5
265.	neighbor weight	5
266.	show spanning-tree mst	5
267.	show interfaces description	5
268.	ip igmp query-max-response-time	5
269.	neighbor send-community	5
270.	ntp authenticate	5
271.	errdisable recovery cause	5
272.	ntp authentication-key	5
273.	ip pim bsr-candidate	5
274.	ip pim sparse-mode	5
275.	show ip bgp regexp	5
276.	radius-server deadtime	5
277.	show snmp community	5
278.	spanning-tree guard	5

279.	ipv6 unicast-routing	5
280.	radius-server retransmit	5
281.	isis hello-multiplier	5
282.	neighbor default-originate	5
283.	show ip community-list	5
284.	distance bgp	5
285.	isis metric	5
286.	ip as-path access-list	5
287.	timers bgp	5
288.	ip community-list standard	5
289.	show isis interface	5
290.	spf-interval	4
291.	bgp client-to-client reflection	4
292.	ip icmp redirect	4
293.	show ip msdp peer	4
294.	load-interval	4
295.	show ip msdp sa-cache	4
296.	show port-security interface	4
297.	show ip msdp summary	4
298.	show environment power	4
299.	clear ip igmp group	4
300.	show vrf	4
301.	clear ip mroute	4
302.	show inventory	4
303.	ipv6 access-group	4
304.	errdisable recovery interval	4
305.	clear ip msdp sa-cache	4
306.	neighbor peer-group (creating)	4
307.	show ip rip database	4
308.	bgp redistribute internal	4
309.	ip load-sharing	4
310.	show spanning-tree root	4
311.	show ipv6 ospf border-routers	4
312.	ip ospf message-digest-key	4
313.	ip dhcp snooping information option	4
314.	snmp-server engineID remote	4
315.	neighbor peer-group (assigning members)	4
316.	show interfaces transceiver	4
317.	clear lldp counters	4
318.	log-adjacency-changes (OSPFv3)	4
319.	ip local-proxy-arp	4
320.	show ip bgp paths	4
321.	bgp log-neighbor-changes	4
322.	neighbor local-as	4
323.	clear spanning-tree counters	4
324.	isis hello-interval	4
325.	show ip mroute count	3

326.	ip igmp snooping vlan	3
327.	aaa authorization config-commands	3
328.	port-channel min-links	3
329.	ip igmp startup-query-interval	3
330.	ipv6 nd router-preference	3
331.	vrrp preempt	3
332.	flowcontrol receive	3
333.	show ipv6 bgp summary	3
334.	clear lldp table	3
335.	bgp confederation peers	3
336.	dot1x pae authenticator	3
337.	ntp trusted-key	3
338.	show module	3
339.	domain-id	3
340.	aaa group server radius	3
341.	snmp-server chassis-id	3
342.	ip igmp last-member-query-count	3
343.	show ipv6 bgp	3
344.	aaa group server tacacs+	3
345.	flowcontrol send	3
346.	ip pim spt-threshold	3
347.	mac access-list	3
348.	show environment temperature	3
349.	ip igmp startup-query-count	3
350.	isis passive	3
351.	switchport port-security	3
352.	show spanning-tree mst interface	3
353.	neighbor allowas-in	3
354.	show ip pim rp	3
355.	bgp confederation identifier	3
356.	show flowcontrol **	3
357.	passive-interface default	3
358.	show track	3
359.	aaa accounting dot1x	3
360.	clear ip ospf neighbor	3
361.	show snmp trap	2
362.	vrrp ip	2
363.	show spanning-tree bridge	2
364.	ip msdp default-peer	2
365.	spanning-tree transmit hold-count	2
366.	ip msdp sa-limit	2
367.	isis lsp-interval	2
368.	clear ip nat translation	2
369.	priority-flow-control mode	2
370.	ip pim ssm range	2
371.	spanning-tree portfast bpduguard default	2
372.	show vlan summary	2

373.	vrrp timers advertise	2
374.	ipv6 nd ra suppress	2
375.	show isis topology	2
376.	ip msdp sa-filter in	2
377.	ip msdp sa-filter out	2
378.	ip msdp mesh-group	2
379.	show etherchannel	2
380.	lldp reinit	2
381.	vlan internal allocation policy	2
382.	show interfaces flowcontrol	2
383.	show port-security address	2
384.	show ip ospf request-list	2
385.	ip igmp snooping vlan mrouter	2
386.	show lldp traffic	2
387.	spanning-tree vlan	2
388.	ntp source	2
389.	ip igmp snooping vlan static	2
390.	show ipv6 bgp neighbors	2
391.	ip pim query-interval	2
392.	show interfaces switchport backup	2
393.	switchport port-security maximum	2
394.	bfd all-interfaces	2
395.	ip pim bsr-border	2
396.	neighbor soft-reconfiguration	2
397.	ip msdp originator-id	2
398.	ip community-list expanded	2
399.	clear ip arp	2
400.	show lacp neighbor	2
401.	ip msdp peer	2
402.	enable secret	2
403.	timers throttle spf	2
404.	ip igmp snooping vlan immediate-leave	2
405.	vrrp authentication	2
406.	vrrp priority	2
407.	show bfd neighbors	2
408.	ip ospf shutdown	2
409.	spanning-tree portfast bpdupfilter default	2
410.	ip domain name **	2
411.	show snmp host	2
412.	show environment all	2
413.	vrrp delay reload	1
414.	ip dhcp smart-relay	1
415.	domain-name	1
416.	lacp rate	1
417.	isis passive-interface	1
418.	ip extcommunity-list expanded	1
419.	control-plane	1

420.	show mac-address-table aging-time	1
421.	art timeout	1
422.	show interfaces capabilities	1
423.	timers throttle lsa all	1
424.	ip extcommunity-list standard	1
425.	vrf forwarding	1
426.	ip msdp shutdown	1
427.	aaa authorization console	1
428.	lldp holdtime	1
429.	ip msdp keepalive	1
430.	switchport backup interface	1
431.	neighbor peer-group	1
432.	show ip msdp mesh-group	1
433.	ip pim neighbor-filter	1
434.	show snmp mib	1
435.	timers lsa arrival	1
436.	show snmp source-interface	1
437.	ipv6 ospf retransmit-interval	1
438.	show ip route tag	1
439.	vrf definition	1
440.	redundancy force-switchover	1
441.	show ptp clock	1
442.	show lacp interface	1
443.	ip msdp description	1
444.	switchport vlan mapping	1
445.	spanning-tree loopguard default	1
446.	lldp tlv-select	1
447.	vrrp track	1
448.	show port-channel summary	1
449.	default-metric	1
450.	ip ospf bfd	1
451.	ip igmp query-interval-response-time	1
452.	snmp-server source-interface	1
453.	show ip ospf retransmission-list	1
454.	ip pim spt-threshold group-list	1
455.	timers basic	1

* Adtran, Alcatel/ALU, Allied Telesis, Avaya, Brocade, Dell (incl. Force10), D-Link, Edge-Core, Ericsson, Extreme (incl. Enterasys), Foundry, HP, ISCLI, Juniper, NETGEAR, Procket Networks, Redback Networks, and Sun/Oracle

	Disputed CLI Command (or Command Fragment)	Vendors Supporting Command (HP, Brocade, Alcatel/ALU, Juniper, and Extreme/Enterasys Only)
1.	show ip pim neighbor	5
2.	snmp-server host	5

3.	snmp-server community	5
4.	boot system	5
5.	show ip ospf interface	5
6.	clock set	5
7.	show users	5
8.	ip address	5
9.	snmp-server enable traps	5
10.	ipv6 address	5
11.	snmp-server user	5
12.	ipv6 route	5
13.	show ip pim interface	5
14.	show interfaces	5
15.	show ip route	5
16.	show ip bgp	5
17.	show version	5
18.	show ip bgp neighbors	5
19.	snmp-server contact	5
20.	show ip interface	5
21.	snmp-server group	5
22.	show ip mroute	5
23.	snmp-server location	5
24.	show ip ospf	5
25.	snmp-server view	5
26.	show ip ospf border-routers	5
27.	show clock	5
28.	show ip pim rp-hash	4
29.	show vrrp	4
30.	show route-map	4
31.	area stub	4
32.	area range	4
33.	lACP port-priority	4
34.	show ipv6 neighbors	4
35.	tacacs-server key	4
36.	show tacacs	4
37.	terminal length	4
38.	ip prefix-list	4
39.	neighbor remote-as	4
40.	ip igmp query-interval	4
41.	neighbor route-reflector-client	4
42.	show ip route summary	4
43.	aaa accounting	4
44.	show ntp status	4
45.	neighbor timers	4
46.	show snmp user	4
47.	ntp server	4
48.	ip ospf hello-interval	4
49.	route-map	4

50.	ip ospf retransmit-interval	4
51.	router bgp	4
52.	ip route	4
53.	router rip	4
54.	show ip ospf neighbor	4
55.	show arp	4
56.	ip nat pool	4
57.	tacacs-server host	4
58.	ip ospf cost	4
59.	banner motd	4
60.	show ipv6 interface	4
61.	aaa authentication login	4
62.	show ipv6 route	4
63.	aggregate-address	4
64.	show reload	4
65.	show ip bgp peer-group	4
66.	show snmp group	4
67.	show ip bgp summary	4
68.	show spanning-tree	4
69.	show ip igmp groups	4
70.	ip ospf dead-interval	4
71.	clock timezone	4
72.	show vlan	4
73.	show ip interface brief	4
74.	ip ospf priority	4
75.	default-information originate (OSPF)	4
76.	ip ospf transmit-delay	4
77.	show ip nat translations	4
78.	ip proxy-arp	4
79.	interface ethernet	4
80.	ipv6 access-list	4
81.	ip access-group	4
82.	ipv6 neighbor	4
83.	area nssa	4
84.	tacacs-server timeout	4
85.	ipv6 ospf area	3
86.	ipv6 nd managed-config-flag	3
87.	switchport access vlan	3
88.	neighbor next-hop-self	3
89.	show port-security	3
90.	neighbor password	3
91.	interface loopback	3
92.	ip access-list	3
93.	show ipv6 access-list	3
94.	neighbor remove-private-as	3
95.	show mac-address-table	3
96.	neighbor route-map	3

97.	ipv6 nd ra interval	3
98.	ip access-list standard	3
99.	isis hello-multiplier	3
100.	neighbor send-community	3
101.	mac-address-table aging-time	3
102.	bgp redistribute internal	3
103.	bgp cluster-id	3
104.	ip as-path access-list	3
105.	errdisable recovery cause	3
106.	neighbor update-source	3
107.	show lacp counters	3
108.	neighbor weight	3
109.	show monitor session	3
110.	no snmp-server	3
111.	show radius	3
112.	ip community-list standard	3
113.	ipv6 nd reachable-time	3
114.	ip domain lookup	3
115.	address-family	3
116.	ip domain-name	3
117.	isis priority	3
118.	router ospf	3
119.	lldp run	3
120.	ip helper-address	3
121.	neighbor activate	3
122.	set-overload-bit	3
123.	switchport trunk native vlan	3
124.	ip igmp last-member-query-interval	3
125.	default-metric (OSPFv3)	3
126.	area range (OSPFv3)	3
127.	dot1x port-control	3
128.	ip igmp static-group	3
129.	show ipv6 ospf interface	3
130.	show ip access-lists	3
131.	show isis database	3
132.	ip igmp version	3
133.	show lldp neighbors	3
134.	ip multicast-routing	3
135.	show mac-address-table aging time	3
136.	ip name-server	3
137.	ipv6 nd ns-interval	3
138.	channel-group	3
139.	show privilege	3
140.	ip nat translation tcp-timeout	3
141.	ipv6 nd other-config-flag	3
142.	show ip igmp interface	3
143.	show snmp engineID	3

144.	ip nat translation udp-timeout	3
145.	errdisable recovery interval	3
146.	ip ospf authentication-key	3
147.	ipv6 prefix-list	3
148.	clear arp-cache	3
149.	isis hello-interval	3
150.	clear counters	3
151.	isis metric	3
152.	clear ipv6 neighbors	3
153.	is-type	3
154.	ip ospf network	3
155.	snmp-server engineID local	3
156.	area nssa (OSPFv3)	3
157.	mac access-group	3
158.	area stub (OSPFv3)	3
159.	maximum-paths	3
160.	arp timeout	3
161.	spanning-tree link-type	3
162.	ip pim dr-priority	3
163.	switchport trunk allowed vlan	3
164.	default-information originate (OSPFv3)	3
165.	interface vlan	3
166.	show ip prefix-list	3
167.	default-metric (OSPF)	3
168.	neighbor ebgp-multihop	3
169.	terminal monitor	3
170.	neighbor local-as	3
171.	neighbor shutdown	3
172.	ipv6 ospf network	2
173.	storm-control	2
174.	show spanning-tree mst configuration	2
175.	neighbor default-originate	2
176.	clear ip ospf neighbor	2
177.	neighbor description	2
178.	ipv6 router ospf	2
179.	ip load-sharing	2
180.	ip igmp query-max-response-time	2
181.	neighbor peer-group (assigning members)	2
182.	ipv6 nd ra lifetime	2
183.	neighbor peer-group (creating)	2
184.	ipv6 ospf dead-interval	2
185.	ip multicast boundary	2
186.	ipv6 ospf transmit-delay	2
187.	domain-id	2
188.	show snmp trap	2
189.	dot1x reauthentication	2
190.	isis passive	2

191.	ntp authenticate	2
192.	spanning-tree cost	2
193.	ntp authentication-key	2
194.	mac-address-table static	2
195.	radius-server host	2
196.	show ipv6 ospf border-routers	2
197.	radius-server key	2
198.	show lldp	2
199.	radius-server timeout	2
200.	show mac-address-table count	2
201.	dot1x timeout reauth-period	2
202.	ipv6 ospf priority	2
203.	dot1x timeout tx-period	2
204.	area nssa no-summary	2
205.	router isis	2
206.	show snmp community	2
207.	router-id	2
208.	isis lsp-interval	2
209.	ip pim bsr-candidate	2
210.	show storm-control	2
211.	show dot1x	2
212.	bgp client-to-client reflection	2
213.	show dot1x statistics	2
214.	log-adjacency-changes (IS-IS)	2
215.	show hosts	2
216.	spanning-tree mst configuration	2
217.	area nssa default-information-originate	2
218.	switchport mode	2
219.	show interfaces switchport	2
220.	timers basic (RIP)	2
221.	ip pim rp-address	2
222.	show ipv6 ospf	2
223.	show ip bgp community	2
224.	show ipv6 ospf neighbor	2
225.	ip pim rp-candidate	2
226.	show ipv6 route summary	2
227.	show ip bgp paths	2
228.	ipv6 ospf cost	2
229.	show ip bgp regexp	2
230.	ipv6 ospf hello-interval	2
231.	show ip community-list	2
232.	show module	2
233.	show ip extcommunity-list	2
234.	show ntp associations	2
235.	show ip helper-address	2
236.	ipv6 ospf retransmit- interval	2
237.	show ip igmp snooping	2

238.	show qos maps	2
239.	show ip igmp snooping mrouter	2
240.	clear mac-address-table dynamic	2
241.	area nssa default-information-originate (OSPFv3)	2
242.	show snmp	2
243.	banner login	2
244.	clear spanning-tree counters	2
245.	ip radius source-interface	2
246.	show snmp view	2
247.	show ip msdp peer	2
248.	show spanning-tree interface	2
249.	show ip msdp sa-cache	2
250.	show spanning-tree mst interface	2
251.	show ip msdp summary	2
252.	ip icmp redirect	2
253.	interface port-channel	2
254.	show vrf	2
255.	ip routing	2
256.	lacp system-priority	2
257.	ip tacacs source-interface	2
258.	load-interval	2
259.	show ip ospf database database-summary	2
260.	spanning-tree bpduguard	2
261.	clear ip arp	2
262.	spanning-tree mode	2
263.	clear ip bgp	2
264.	spf-interval	2
265.	ipv6 dhcp relay destination	2
266.	logging host	2
267.	show ip pim rp	2
268.	ip igmp snooping	2
269.	ipv6 enable	2
270.	maximum-paths (OSPFv3)	2
271.	show ip rip database	2
272.	timers bgp	2
273.	clear ip mroute	2
274.	clear ip msdp sa-cache	2
275.	log-adjacency-changes	1
276.	default-metric	1
277.	show environment all	1
278.	clear ip nat translation	1
279.	snmp-server chassis-id	1
280.	show environment temperature	1
281.	aaa authorization config-commands	1
282.	dot1x system-auth-control	1
283.	ip igmp startup-query-count	1
284.	area default-cost (OSPFv3)	1

285.	show vlan internal usage	1
286.	ipv6 nd ra suppress	1
287.	ip ospf authentication	1
288.	show interfaces description	1
289.	show ip ospf request-list	1
290.	show ipv6 prefix-list	1
291.	spanning-tree vlan	1
292.	show interfaces flowcontrol	1
293.	mac access-list	1
294.	show interfaces status	1
295.	timers throttle spf	1
296.	ip dhcp snooping	1
297.	show ipv6 bgp summary	1
298.	show isis interface	1
299.	neighbor soft-reconfiguration	1
300.	show isis topology	1
301.	lldp holdtime	1
302.	ip dhcp snooping vlan	1
303.	lldp transmit	1
304.	neighbor allowas-in	1
305.	spanning-tree bpdupfilter	1
306.	show interfaces transceiver	1
307.	log-adjacency-changes (OSPFv3)	1
308.	show mac access-lists	1
309.	spanning-tree portfast bpduguard default	1
310.	show inventory	1
311.	network area	1
312.	ip pim query-interval	1
313.	switchport private-vlan mapping	1
314.	show ip arp	1
315.	ip igmp snooping querier	1
316.	dot1x timeout quiet-period	1
317.	ip igmp startup-query-interval	1
318.	ntp source	1
319.	vrrp priority	1
320.	ntp trusted-key	1
321.	ip igmp query-interval-response-time	1
322.	passive-interface	1
323.	bfd all-interfaces	1
324.	show port-channel summary	1
325.	show vlan private-vlan	1
326.	ip pim sparse-mode	1
327.	enable secret	1
328.	show port-security interface	1
329.	ip ospf shutdown	1
330.	passive-interface (OSPFv3)	1
331.	lldp receive	1

332.	ip pim spt-threshold	1
333.	lldp timer	1
334.	port-channel load-balance	1
335.	router-id (OSPFv3)	1
336.	show ip dhcp snooping	1
337.	ipv6 access-group	1
338.	private-vlan	1
339.	area default-cost	1
340.	radius-server deadtime	1
341.	spanning-tree guard	1
342.	ip pim spt-threshold group-list	1
343.	ip pim bsr-border	1
344.	ipv6 unicast-routing	1
345.	spanning-tree portfast bpdupfilter default	1
346.	ip pim ssm range	1
347.	spanning-tree port-priority	1
348.	bgp confederation identifier	1
349.	control-plane	1
350.	ip host	1
351.	ipv6 host	1
352.	show ip igmp snooping groups	1
353.	switchport port-security	1
354.	bgp confederation peers	1
355.	clear ip igmp group	1
356.	show spanning-tree blockedports	1
357.	mac-address	1
358.	radius-server retransmit	1
359.	show environment power	1
360.	show spanning-tree mst	1
361.	show ip ospf retransmission-list	1
362.	bgp log-neighbor-changes	1
363.	show ipv6 bgp neighbors	1
364.	redundancy force-switchover	1
365.	vrrp preempt	1
366.	show ip mroute count	1
367.	vrrp track	1
368.	distance bgp	1
369.	domain-name	1
370.	show track	1
371.	neighbor peer-group	1
372.	ip local-proxy-arp	1
373.	ip igmp last-member-query-count	1
374.	show ipv6 bgp	1